

Intranet - New - Bug #6132

Home page --> Login --> Document library --> edit --> need to add Aestriks(*) mart on "Add attachment & status field

03/17/2023 12:41 PM - Mohd Irfan

Status:	Closed	Start date:	03/17/2023
Priority:	Normal	Due date:	
Assignee:	Manoj kumar	% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Spent time:	0.00 hour
Description			
Step to reproduce the bug:			
Document library --> edit --> need to add Aestriks(*) mart on "Add attachment & status field, as running on add page			
See attached screenshot:			
clipboard-202303171239-skapp.png			

History

#1 - 03/28/2023 03:38 PM - Manoj jaswal

- Status changed from New to Resolved

#2 - 03/29/2023 12:38 PM - Mohd Irfan

- File clipboard-202303291237-atpwl.png added

- Status changed from Resolved to Closed

Fixed!

clipboard-202303291237-atpwl.png

Files

clipboard-202303171234-bwrhu.png	103 KB	03/17/2023	Mohd Irfan
clipboard-202303171239-skapp.png	110 KB	03/17/2023	Mohd Irfan
clipboard-202303291237-atpwl.png	52.6 KB	03/29/2023	Mohd Irfan